

	Application No.	Applicant(s)	
Notice of Allowability	10/718,221	GOH, KIM SEAH	
	Examiner	Art Unit	
·	Christopher D. Koharski	3763	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>9/20/2007</u> .			
2. The allowed claim(s) is/are <u>2-10,12-14,16-19 and 21-30</u> .			
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached			
1)  hereto or 2)  to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s)			
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	* *	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	<ol> <li>Interview Summary Paper No./Mail Dat</li> </ol>		
<ol> <li>Information Disclosure Statements (PTO/SB/08),         Paper No./Mail Date</li></ol>	7. Examiner's Amendment/Comment		
	8. X Examiner's Stateme	8.  Examiner's Statement of Reasons for Allowance	
	9.  Other		

Application/Control Number: 10/718,221

Art Unit: 3763

## **DETAILED ACTION**

## **EXAMINER'S REASONS FOR ALLOWANCE**

## Allowable Subject Matter

Claims 2-10, 12-14, 16-19 and 21-30 are allowed over the prior art of record as amended in the reply filed 9/20/2007. Examiner also acknowledges and accepts the replacement drawings filed 8/22/2007.

The following is an examiner's statement of reasons for allowance: The claims in this application have been allowed because the prior art of record fails to disclose either singly or in combination the claimed device of a telescoping winged safety needle assembly with a hub, cannula, pair of flexible wings and cylindrical sleeve and cylindrical sheath. The safety needle assembly includes a hub, sleeve, and sheath, which are coupled together with a first and second locking mechanism with annular rings and lugs provided on the sleeve, hub and sheath to provide multiple telescoping positions that are lockable.

The closest prior art of record is Lam (5,382240) and Liu (5,931,815), however these references do not disclose the device as claimed or described above.

Regarding claims 3, 13 and 23, the closest prior art of record fails to teach among all the limitations the first and second locking mechanism disposed on the assembly comprising a first and second locking mechanism with lugs and annular rings locked on the sleeve and sheath for engagement and securement.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably Application/Control Number: 10/718,221

Art Unit: 3763

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Christopher D. Koharski whose telephone number is

571-272-7230. The examiner can normally be reached on 7:30am to 4:00pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Nick Lucchesi can be reached on 571-272-4977. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Data.

NICHOLAS D. LUCCHESI

TECHNOLOGY CENTER 3700

Christopher D. Koharski AU 3763

Page 3